

---

**influxdb***client*

***Release 1.25.0***

**Jan 20, 2022**



---

## Contents:

---

<b>1</b>	<b>User Guide</b>	<b>1</b>
1.1	Query	2
1.2	Write	2
1.2.1	The data could be written as	3
1.2.2	Batching	3
1.2.3	Default Tags	5
1.2.4	Asynchronous client	6
1.2.5	Synchronous client	6
1.3	Pandas DataFrame	7
1.4	Delete data	7
1.5	Gzip support	8
1.6	Proxy configuration	8
1.7	Nanosecond precision	9
1.8	Handling Errors	10
1.8.1	HTTP Retry Strategy	11
1.9	Debugging	11
1.10	Examples	11
1.10.1	How to efficiently import large dataset	11
1.10.2	Efficiency write data from IOT sensor	13
1.10.3	Connect to InfluxDB Cloud	15
1.10.4	How to use Jupyter + Pandas + InfluxDB 2	16
1.10.5	Other examples	17
<b>2</b>	<b>API Reference</b>	<b>19</b>
2.1	InfluxDBClient	19
2.2	QueryApi	24
2.3	WriteApi	26
2.4	BucketsApi	30
2.5	LabelsApi	33
2.6	OrganizationsApi	34
2.7	UsersApi	35
2.8	TasksApi	37
2.9	DeleteApi	42
2.10	Helpers	43
<b>3</b>	<b>Migration Guide</b>	<b>47</b>
3.1	Before You Start	47

3.2	Content . . . . .	47
3.3	Initializing Client . . . . .	48
3.4	Creating Database/Bucket . . . . .	48
3.5	Dropping Database/Bucket . . . . .	48
3.6	Writing LineProtocol . . . . .	49
3.7	Writing Dictionary-style object . . . . .	49
3.8	Writing Structured Data . . . . .	50
3.9	Writing Pandas DataFrame . . . . .	51
3.10	Querying . . . . .	52
<b>4</b>	<b>Documentation</b>	<b>55</b>
<b>5</b>	<b>InfluxDB 2.0 client features</b>	<b>57</b>
<b>6</b>	<b>Installation</b>	<b>59</b>
6.1	pip install . . . . .	59
6.2	Setuptools . . . . .	59
<b>7</b>	<b>Getting Started</b>	<b>61</b>
<b>8</b>	<b>Client configuration</b>	<b>63</b>
8.1	Via File . . . . .	63
8.2	Via Environment Properties . . . . .	63
8.3	Profile query . . . . .	64
<b>9</b>	<b>Indices and tables</b>	<b>67</b>
	<b>Index</b>	<b>69</b>

- *Query*
- *Write*
  - *The data could be written as*
  - *Batching*
  - *Default Tags*
    - \* *Via API*
    - \* *Via Configuration file*
    - \* *Via Environment Properties*
  - *Asynchronous client*
  - *Synchronous client*
- *Pandas DataFrame*
- *Delete data*
- *Gzip support*
- *Proxy configuration*
- *Nanosecond precision*
- *Handling Errors*
  - *HTTP Retry Strategy*
- *Debugging*
- *Examples*
  - *How to efficiently import large dataset*

- *Efficiency write data from IOT sensor*
- *Connect to InfluxDB Cloud*
- *How to use Jupyter + Pandas + InfluxDB 2*
- *Other examples*

## 1.1 Query

```
from influxdb_client import InfluxDBClient, Point
from influxdb_client.client.write_api import SYNCHRONOUS

bucket = "my-bucket"

client = InfluxDBClient(url="http://localhost:8086", token="my-token", org="my-org")

write_api = client.write_api(write_options=SYNCHRONOUS)
query_api = client.query_api()

p = Point("my_measurement").tag("location", "Prague").field("temperature", 25.3)

write_api.write(bucket=bucket, record=p)

## using Table structure
tables = query_api.query('from(bucket:"my-bucket") |> range(start: -10m)')

for table in tables:
    print(table)
    for row in table.records:
        print (row.values)

## using csv library
csv_result = query_api.query_csv('from(bucket:"my-bucket") |> range(start: -10m)')
val_count = 0
for row in csv_result:
    for cell in row:
        val_count += 1
```

## 1.2 Write

The `WriteApi` supports synchronous, asynchronous and batching writes into InfluxDB 2.0. The data should be passed as a `InfluxDB Line Protocol`, `Data Point` or `Observable` stream.

**Warning:** The `WriteApi` in batching mode (default mode) is suppose to run as a singleton. To flush all your data you should wrap the execution using with `client.write_api(...)` as `write_api: statement` or call `write_api.close()` at the end of your script.

*The default instance of `WriteApi` use batching.*

## 1.2.1 The data could be written as

1. string or bytes that is formatted as a InfluxDB's line protocol
2. Data Point structure
3. Dictionary style mapping with keys: measurement, tags, fields and time or custom structure
4. NamedTuple
5. Data Classes
6. Pandas DataFrame
7. List of above items
8. A batching type of write also supports an Observable that produce one of an above item

You can find write examples at GitHub: [influxdb-client-python/examples](https://github.com/influxdb-client-python/examples).

## 1.2.2 Batching

The batching is configurable by write\_options:

Property	Description	Default Value
<b>batch_size</b>	number of data points to collect in a batch	1000
<b>flush_interval</b>	number of milliseconds before the batch is written	1000
<b>jit-ter_interval</b>	the number of milliseconds to increase the batch flush interval by a random amount	0
<b>retry_interval</b>	number of milliseconds to retry first unsuccessful write. The next retry delay is computed using exponential random backoff. The retry interval is used when the InfluxDB server does not specify "Retry-After" header.	5000
<b>max_retry_time</b>	total retry timeout in milliseconds.	180_000
<b>max_retries</b>	number of max retries when write fails	5
<b>max_retry_delay</b>	maximum delay between each retry attempt in milliseconds	125_000
<b>exponential_base</b>	the base for the exponential retry delay, the next delay is computed using random exponential backoff as a random value within the interval $\text{retry\_interval} * \text{exponential\_base}^{(\text{attempts}-1)}$ and $\text{retry\_interval} * \text{exponential\_base}^{\text{attempts}}$ . Example for <code>retry_interval=5_000</code> , <code>exponential_base=2</code> , <code>max_retry_delay=125_000</code> , <code>total=5</code> Retry delays are random distributed values within the ranges of [5_000-10_000, 10_000-20_000, 20_000-40_000, 40_000-80_000, 80_000-125_000]	2

```
from datetime import datetime, timedelta

import pandas as pd
import rx
from pytz import UTC
from rx import operators as ops

from influxdb_client import InfluxDBClient, Point, WriteOptions

with InfluxDBClient(url="http://localhost:8086", token="my-token", org="my-org") as _
    client:
```

(continues on next page)

(continued from previous page)

```

with _client.write_api(write_options=WriteOptions(batch_size=500,
                                                    flush_interval=10_000,
                                                    jitter_interval=2_000,
                                                    retry_interval=5_000,
                                                    max_retries=5,
                                                    max_retry_delay=30_000,
                                                    exponential_base=2)) as _write_

↪ client:

    """
    Write Line Protocol formatted as string
    """
    _write_client.write("my-bucket", "my-org", "h2o_feet,location=coyote_creek_
↪ water_level=1.0 1")
    _write_client.write("my-bucket", "my-org", ["h2o_feet,location=coyote_creek_
↪ water_level=2.0 2",
                                                    "h2o_feet,location=coyote_creek_
↪ water_level=3.0 3"])

    """
    Write Line Protocol formatted as byte array
    """
    _write_client.write("my-bucket", "my-org", "h2o_feet,location=coyote_creek_
↪ water_level=1.0 1".encode())
    _write_client.write("my-bucket", "my-org", ["h2o_feet,location=coyote_creek_
↪ water_level=2.0 2".encode(),
                                                    "h2o_feet,location=coyote_creek_
↪ water_level=3.0 3".encode()])

    """
    Write Dictionary-style object
    """
    _write_client.write("my-bucket", "my-org", {"measurement": "h2o_feet", "tags
↪ ": {"location": "coyote_creek"},
                                                    "fields": {"water_level": 1.0},
↪ "time": 1})
    _write_client.write("my-bucket", "my-org", [{"measurement": "h2o_feet", "tags
↪ ": {"location": "coyote_creek"},
                                                    "fields": {"water_level": 2.0},
↪ "time": 2},
                                                    {"measurement": "h2o_feet", "tags
↪ ": {"location": "coyote_creek"},
                                                    "fields": {"water_level": 3.0},
↪ "time": 3}])

    """
    Write Data Point
    """
    _write_client.write("my-bucket", "my-org",
                        Point("h2o_feet").tag("location", "coyote_creek").field(
↪ "water_level", 4.0).time(4))
    _write_client.write("my-bucket", "my-org",
                        [Point("h2o_feet").tag("location", "coyote_creek").field(
↪ "water_level", 5.0).time(5),
                        Point("h2o_feet").tag("location", "coyote_creek").field(
↪ "water_level", 6.0).time(6)])

```

(continues on next page)



(continued from previous page)

```

"""
Write Observable stream
"""
_data = rx \
    .range(7, 11) \
    .pipe(ops.map(lambda i: "h2o_feet,location=coyote_creek water_level={0}.0"
↪ "{0}".format(i)))

_write_client.write("my-bucket", "my-org", _data)

"""
Write Pandas DataFrame
"""
_now = datetime.now(UTC)
_data_frame = pd.DataFrame(data=[["coyote_creek", 1.0], ["coyote_creek", 2.
↪ 0]],
                           index=[_now, _now + timedelta(hours=1)],
                           columns=["location", "water_level"])

_write_client.write("my-bucket", "my-org", record=_data_frame, data_frame_
↪ measurement_name='h2o_feet',
                    data_frame_tag_columns=['location'])

```

### 1.2.3 Default Tags

Sometimes is useful to store same information in every measurement e.g. hostname, location, customer. The client is able to use static value or env property as a tag value.

The expressions:

- California Miner - static value
- \${env.hostname} - environment property

#### Via API

```

point_settings = PointSettings()
point_settings.add_default_tag("id", "132-987-655")
point_settings.add_default_tag("customer", "California Miner")
point_settings.add_default_tag("data_center", "${env.data_center}")

self.write_client = self.client.write_api(write_options=SYNCHRONOUS, point_
↪ settings=point_settings)

```

```

self.write_client = self.client.write_api(write_options=SYNCHRONOUS,
                                           point_settings=PointSettings(**{"id":
↪ "132-987-655",
↪ "customer": "California Miner"}))

```

#### Via Configuration file

In a `init` configuration file you are able to specify default tags by tags segment.

```
self.client = InfluxDBClient.from_config_file("config.ini")
```

You can also use a [TOML](#) format for the configuration file.

### Via Environment Properties

You are able to specify default tags by environment properties with prefix `INFLUXDB_V2_TAG_`.

Examples:

- `INFLUXDB_V2_TAG_ID`
- `INFLUXDB_V2_TAG_HOSTNAME`

```
self.client = InfluxDBClient.from_env_properties()
```

## 1.2.4 Asynchronous client

Data are writes in an asynchronous HTTP request.

```
from influxdb_client import InfluxDBClient, Point
from influxdb_client.client.write_api import ASYNCHRONOUS

client = InfluxDBClient(url="http://localhost:8086", token="my-token", org="my-org")
write_api = client.write_api(write_options=ASYNCHRONOUS)

_point1 = Point("my_measurement").tag("location", "Prague").field("temperature", 25.3)
_point2 = Point("my_measurement").tag("location", "New York").field("temperature", 24.
↪3)

async_result = write_api.write(bucket="my-bucket", record=[_point1, _point2])
async_result.get()

client.close()
```

## 1.2.5 Synchronous client

Data are writes in a synchronous HTTP request.

```
from influxdb_client import InfluxDBClient, Point
from influxdb_client.client.write_api import SYNCHRONOUS

client = InfluxDBClient(url="http://localhost:8086", token="my-token", org="my-org")
write_api = client.write_api(write_options=SYNCHRONOUS)

_point1 = Point("my_measurement").tag("location", "Prague").field("temperature", 25.3)
_point2 = Point("my_measurement").tag("location", "New York").field("temperature", 24.
↪3)

write_api.write(bucket="my-bucket", record=[_point1, _point2])

client.close()
```

## 1.3 Pandas DataFrame

**Note:** For DataFrame querying you should install Pandas dependency via `pip install 'influxdb-client[extra]'`.

**Note:** Note that if a query returns more than one table then the client generates a DataFrame for each of them.

The client is able to retrieve data in [Pandas DataFrame](#) format through `query_data_frame`:

```
from influxdb_client import InfluxDBClient, Point, Dialect
from influxdb_client.client.write_api import SYNCHRONOUS

client = InfluxDBClient(url="http://localhost:8086", token="my-token", org="my-org")

write_api = client.write_api(write_options=SYNCHRONOUS)
query_api = client.query_api()

"""
Prepare data
"""

_point1 = Point("my_measurement").tag("location", "Prague").field("temperature", 25.3)
_point2 = Point("my_measurement").tag("location", "New York").field("temperature", 24.
↪3)

write_api.write(bucket="my-bucket", record=[_point1, _point2])

"""
Query: using Pandas DataFrame
"""
data_frame = query_api.query_data_frame('from(bucket:"my-bucket") '
                                       '|> range(start: -10m) '
                                       '|> pivot(rowKey:["_time"], columnKey: ["_
↪field"], valueColumn: "_value") '
                                       '|> keep(columns: ["location", "temperature"])
↪')
print(data_frame.to_string())

"""
Close client
"""
client.close()
```

Output:

## 1.4 Delete data

The `delete_api.py` supports deleting points from an InfluxDB bucket.

```
from influxdb_client import InfluxDBClient
```

(continues on next page)

(continued from previous page)

```

client = InfluxDBClient(url="http://localhost:8086", token="my-token")

delete_api = client.delete_api()

"""
Delete Data
"""
start = "1970-01-01T00:00:00Z"
stop = "2021-02-01T00:00:00Z"
delete_api.delete(start, stop, '_measurement="my-measurement"', bucket='my-bucket',
↳ org='my-org')

"""
Close client
"""
client.close()

```

## 1.5 Gzip support

InfluxDBClient does not enable gzip compression for http requests by default. If you want to enable gzip to reduce transfer data's size, you can call:

```

from influxdb_client import InfluxDBClient

_db_client = InfluxDBClient(url="http://localhost:8086", token="my-token", org="my-org"
↳ ", enable_gzip=True)

```

## 1.6 Proxy configuration

You can configure the client to tunnel requests through an HTTP proxy. The following proxy options are supported:

- `proxy` - Set this to configure the http proxy to be used, ex. `http://localhost:3128`
- `proxy_headers` - A dictionary containing headers that will be sent to the proxy. Could be used for proxy authentication.

```

from influxdb_client import InfluxDBClient

with InfluxDBClient(url="http://localhost:8086",
                    token="my-token",
                    org="my-org",
                    proxy="http://localhost:3128") as client:

```

**Note:** If your proxy notify the client with permanent redirect (HTTP 301) to **different host**. The client removes Authorization header, because otherwise the contents of Authorization is sent to third parties which is a security vulnerability.

You can change this behaviour by:

```

from urllib3 import Retry
Retry.DEFAULT_REMOVE_HEADERS_ON_REDIRECT = frozenset()
Retry.DEFAULT.remove_headers_on_redirect = Retry.DEFAULT_REMOVE_HEADERS_ON_REDIRECT

```

## 1.7 Nanosecond precision

The Python's `datetime` doesn't support precision with nanoseconds so the library during writes and queries ignores everything after microseconds.

If you would like to use `datetime` with nanosecond precision you should use `pandas.Timestamp` that is replacement for python `datetime.datetime` object and also you should set a proper `DateTimeHelper` to the client.

- sources - `nanosecond_precision.py`

```
from influxdb_client import Point, InfluxDBClient
from influxdb_client.client.util.date_utils_pandas import PandasDateTimeHelper
from influxdb_client.client.write_api import SYNCHRONOUS

"""
Set PandasDate helper which supports nanoseconds.
"""
import influxdb_client.client.util.date_utils as date_utils

date_utils.date_helper = PandasDateTimeHelper()

"""
Prepare client.
"""
client = InfluxDBClient(url="http://localhost:8086", token="my-token", org="my-org")

write_api = client.write_api(write_options=SYNCHRONOUS)
query_api = client.query_api()

"""
Prepare data
"""

point = Point("h2o_feet") \
    .field("water_level", 10) \
    .tag("location", "pacific") \
    .time('1996-02-25T21:20:00.001001231Z')

print(f'Time serialized with nanosecond precision: {point.to_line_protocol()}')
print()

write_api.write(bucket="my-bucket", record=point)

"""
Query: using Stream
"""
query = '''
from(bucket:"my-bucket")
  > range(start: 0, stop: now())
  > filter(fn: (r) => r._measurement == "h2o_feet")
'''
records = query_api.query_stream(query)

for record in records:
```

(continues on next page)

(continued from previous page)

```

    print(f'Temperature in {record["location"]} is {record["_value"]} at time:
    ↪ {record["_time"]}')

"""
Close client
"""
client.close()

```

## 1.8 Handling Errors

Errors happen and it's important that your code is prepared for them. All client related exceptions are delivered from `InfluxDBError`. If the exception cannot be recovered in the client it is returned to the application. These exceptions are left for the developer to handle.

Almost all APIs directly return unrecoverable exceptions to be handled this way:

```

from influxdb_client import InfluxDBClient
from influxdb_client.client.exceptions import InfluxDBError
from influxdb_client.client.write_api import SYNCHRONOUS

with InfluxDBClient(url="http://localhost:8086", token="my-token", org="my-org") as ↪
    ↪ client:
    try:
        client.write_api(write_options=SYNCHRONOUS).write("my-bucket", record="mem,
        ↪ tag=a value=86")
    except InfluxDBError as e:
        if e.response.status == 401:
            raise Exception(f"Insufficient write permissions to 'my-bucket'.") from e
        raise

```

The only exception is **batching** `WriteAPI` (for more info see [Batching](#)). where you need to register custom callbacks to handle batch events. This is because this API runs in the background in a separate thread and isn't possible to directly return underlying exceptions.

```

from influxdb_client import InfluxDBClient
from influxdb_client.client.exceptions import InfluxDBError

class BatchingCallback(object):

    def success(self, conf: (str, str, str), data: str):
        print(f"Written batch: {conf}, data: {data}")

    def error(self, conf: (str, str, str), data: str, exception: InfluxDBError):
        print(f"Cannot write batch: {conf}, data: {data} due: {exception}")

    def retry(self, conf: (str, str, str), data: str, exception: InfluxDBError):
        print(f"Retryable error occurs for batch: {conf}, data: {data} retry:
        ↪ {exception}")

with InfluxDBClient(url="http://localhost:8086", token="my-token", org="my-org") as ↪
    ↪ client:
        callback = BatchingCallback()

```

(continues on next page)

(continued from previous page)

```

with client.write_api(success_callback=callback.success,
                      error_callback=callback.error,
                      retry_callback=callback.retry) as write_api:

    pass

```

## 1.8.1 HTTP Retry Strategy

By default the client uses a retry strategy only for batching writes (for more info see [Batching](#)). For other HTTP requests there is no one retry strategy, but it could be configured by `retries` parameter of `InfluxDBClient`.

For more info about how configure HTTP retry see details in [urllib3 documentation](#).

```

from urllib3 import Retry

from influxdb_client import InfluxDBClient

retries = Retry(connect=5, read=2, redirect=5)
client = InfluxDBClient(url="http://localhost:8086", token="my-token", org="my-org",
    ↳ retries=retries)

```

## 1.9 Debugging

For debug purpose you can enable verbose logging of http requests. Both request header and body will be logged to standard output.

```

_client = InfluxDBClient(url="http://localhost:8086", token="my-token", debug=True,
    ↳ org="my-org")

```

## 1.10 Examples

### 1.10.1 How to efficiently import large dataset

The following example shows how to import dataset with dozen megabytes. If you would like to import gigabytes of data then use our multiprocessing example: [import\\_data\\_set\\_multiprocessing.py](#) for use a full capability of your hardware.

- sources - [import\\_data\\_set.py](#)

```

"""
Import VIX - CBOE Volatility Index - from "vix-daily.csv" file into InfluxDB 2.0

https://datahub.io/core/finance-vix#data
"""

from collections import OrderedDict
from csv import DictReader

import rx
from rx import operators as ops

```

(continues on next page)

(continued from previous page)

```

from influxdb_client import InfluxDBClient, Point, WriteOptions

def parse_row(row: OrderedDict):
    """Parse row of CSV file into Point with structure:

        financial-analysis,type=ily close=18.47,high=19.82,low=18.28,open=19.82_
    ↪11981952000000000000

    CSV format:
        Date,VIX Open,VIX High,VIX Low,VIX Close\n
        2004-01-02,17.96,18.68,17.54,18.22\n
        2004-01-05,18.45,18.49,17.44,17.49\n
        2004-01-06,17.66,17.67,16.19,16.73\n
        2004-01-07,16.72,16.75,15.5,15.5\n
        2004-01-08,15.42,15.68,15.32,15.61\n
        2004-01-09,16.15,16.88,15.57,16.75\n
        ...

    :param row: the row of CSV file
    :return: Parsed csv row to [Point]
    """

    """
    For better performance is sometimes useful directly create a LineProtocol to_
    ↪avoid unnecessary escaping overhead:
    """
    # from pytz import UTC
    # import ciso8601
    # from influxdb_client.client.write.point import EPOCH
    #
    # time = (UTC.localize(ciso8601.parse_datetime(row["Date"])) - EPOCH).total_
    ↪seconds() * 1e9
    # return f"financial-analysis,type=vix-daily" \
    #         f" close={float(row['VIX Close'])},high={float(row['VIX High'])},low=
    ↪{float(row['VIX Low'])},open={float(row['VIX Open'])} " \
    #         f" {int(time)}"

    return Point("financial-analysis") \
        .tag("type", "vix-daily") \
        .field("open", float(row['VIX Open'])) \
        .field("high", float(row['VIX High'])) \
        .field("low", float(row['VIX Low'])) \
        .field("close", float(row['VIX Close'])) \
        .time(row['Date'])

    """
    Converts vix-daily.csv into sequence of datad point
    """
    data = rx \
        .from_iterable(DictReader(open('vix-daily.csv', 'r'))) \
        .pipe(ops.map(lambda row: parse_row(row)))

    client = InfluxDBClient(url="http://localhost:8086", token="my-token", org="my-org",_
    ↪debug=True)

    """

```

(continues on next page)



(continued from previous page)

```

Create client that writes data in batches with 50_000 items.
"""
write_api = client.write_api(write_options=WriteOptions(batch_size=50_000, flush_
↪interval=10_000))

"""
Write data into InfluxDB
"""
write_api.write(bucket="my-bucket", record=data)
write_api.close()

"""
Querying max value of CBOE Volatility Index
"""
query = 'from(bucket:"my-bucket")' \
        '|> range(start: 0, stop: now())' \
        '|> filter(fn: (r) => r._measurement == "financial-analysis")' \
        '|> max()'
result = client.query_api().query(query=query)

"""
Processing results
"""
print()
print("=== results ===")
print()
for table in result:
    for record in table.records:
        print('max {0:5} = {1}'.format(record.get_field(), record.get_value()))

"""
Close client
"""
client.close()

```

## 1.10.2 Efficiency write data from IOT sensor

- sources - iot\_sensor.py

```

"""
Efficiency write data from IOT sensor - write changed temperature every minute
"""
import atexit
import platform
from datetime import timedelta

import psutil as psutil
import rx
from rx import operators as ops

from influxdb_client import InfluxDBClient, WriteApi, WriteOptions

def on_exit(db_client: InfluxDBClient, write_api: WriteApi):
    """Close clients after terminate a script.

```

(continues on next page)

(continued from previous page)

```

:param db_client: InfluxDB client
:param write_api: WriteApi
:return: nothing
"""
write_api.close()
db_client.close()

def sensor_temperature():
    """Read a CPU temperature. The [psutil] doesn't support MacOS so we use [sysctl].

    :return: actual CPU temperature
    """
    os_name = platform.system()
    if os_name == 'Darwin':
        from subprocess import check_output
        output = check_output(["sysctl", "machdep.xcpm.cpu_thermal_level"])
        import re
        return re.findall(r'\d+', str(output))[0]
    else:
        return psutil.sensors_temperatures()["coretemp"][0]

def line_protocol(temperature):
    """Create a InfluxDB line protocol with structure:

        iot_sensor,hostname=machine_12,type=temperature value=68

    :param temperature: the sensor temperature
    :return: Line protocol to write into InfluxDB
    """

    import socket
    return 'iot_sensor,hostname={},type=temperature value={}'.format(socket.gethostname(), temperature)

"""
Read temperature every minute; distinct_until_changed - produce only if temperature_
↳ change
"""
data = rx\
    .interval(period=timedelta(seconds=60))\
    .pipe(ops.map(lambda t: sensor_temperature()),
          ops.distinct_until_changed(),
          ops.map(lambda temperature: line_protocol(temperature)))

_db_client = InfluxDBClient(url="http://localhost:8086", token="my-token", org="my-org"
↳ ", debug=True)

"""
Create client that writes data into InfluxDB
"""
_write_api = _db_client.write_api(write_options=WriteOptions(batch_size=1))
_write_api.write(bucket="my-bucket", record=data)

```

(continues on next page)

(continued from previous page)

```

"""
Call after terminate a script
"""
atexit.register(on_exit, _db_client, _write_api)

input()

```

### 1.10.3 Connect to InfluxDB Cloud

The following example demonstrate a simplest way how to write and query data with the InfluxDB Cloud.

At first point you should create an authentication token as is described [here](#).

After that you should configure properties: `influx_cloud_url`, `influx_cloud_token`, `bucket` and `org` in a `influx_cloud.py` example.

The last step is run a python script via: `python3 influx_cloud.py`.

- sources - `influx_cloud.py`

```

"""
Connect to InfluxDB 2.0 - write data and query them
"""

from datetime import datetime

from influxdb_client import Point, InfluxDBClient
from influxdb_client.client.write_api import SYNCHRONOUS

"""
Configure credentials
"""
influx_cloud_url = 'https://us-west-2-1.aws.cloud2.influxdata.com'
influx_cloud_token = '...'
bucket = '...'
org = '...'

client = InfluxDBClient(url=influx_cloud_url, token=influx_cloud_token)
try:
    kind = 'temperature'
    host = 'host1'
    device = 'opt-123'

    """
    Write data by Point structure
    """
    point = Point(kind).tag('host', host).tag('device', device).field('value', 25.3).
    ↪time(time=datetime.utcnow())

    print(f'Writing to InfluxDB cloud: {point.to_line_protocol()} ...')

    write_api = client.write_api(write_options=SYNCHRONOUS)
    write_api.write(bucket=bucket, org=org, record=point)

    print()
    print('success')

```

(continues on next page)

(continued from previous page)

```

print()
print()

"""
Query written data
"""
query = f'from(bucket: "{bucket}") |> range(start: -1d) |> filter(fn: (r) => r._
↪measurement == "{kind}") '
print(f'Querying from InfluxDB cloud: "{query}" ...')
print()

query_api = client.query_api()
tables = query_api.query(query=query, org=org)

for table in tables:
    for row in table.records:
        print(f'{row.values["_time"]}: host={row.values["host"]}, device={row.
↪values["device"]} '
              f'{row.values["_value"]} °C')

print()
print('success')

except Exception as e:
    print(e)
finally:
    client.close()

```


### 1.10.4 How to use Jupyter + Pandas + InfluxDB 2

The first example shows how to use client capabilities to predict stock price via [Keras](#), [TensorFlow](#), [sklearn](#):

The example is taken from [Kaggle](#).

- sources - [stock-predictions.ipynb](#)

Result:



The second example shows how to use client capabilities to realtime visualization via [hvPlot](#), [Streamz](#), [RxPY](#):

- sources - [realtime-stream.ipynb](#)

### 1.10.5 Other examples

You can find all examples at GitHub: [influxdb-client-python/examples](#).



- *InfluxDBClient*
- *QueryApi*
- *WriteApi*
- *BucketsApi*
- *LabelsApi*
- *OrganizationsApi*
- *UsersApi*
- *TasksApi*
- *DeleteApi*
- *Helpers*

## 2.1 InfluxDBClient

```
class influxdb_client.InfluxDBClient(url, token, debug=None, timeout=10000, enable_gzip=False, org: str = None, default_tags: dict = None, **kwargs)
```

InfluxDBClient is client for InfluxDB v2.

Initialize defaults.

### Parameters

- **url** – InfluxDB server API url (ex. <http://localhost:8086>).
- **token** – auth token

- **debug** – enable verbose logging of http requests
- **timeout** – HTTP client timeout setting for a request specified in milliseconds. If one number provided, it will be total request timeout. It can also be a pair (tuple) of (connection, read) timeouts.
- **enable\_gzip** – Enable Gzip compression for http requests. Currently only the “Write” and “Query” endpoints supports the Gzip compression.
- **org** – organization name (used as a default in query and write API)

**Key bool verify\_ssl** Set this to false to skip verifying SSL certificate when calling API from https server.

**Key str ssl\_ca\_cert** Set this to customize the certificate file to verify the peer.

**Key str proxy** Set this to configure the http proxy to be used (ex. <http://localhost:3128>)

**Key str proxy\_headers** A dictionary containing headers that will be sent to the proxy. Could be used for proxy authentication.

**Key int connection\_pool\_maxsize** Number of connections to save that can be reused by urllib3. Defaults to “multiprocessing.cpu\_count() \* 5”.

**Key urllib3.util.retry.Retry retries** Set the default retry strategy that is used for all HTTP requests except batching writes. As a default there is no one retry strategy.

**Key bool auth\_basic** Set this to true to enable basic authentication when talking to a InfluxDB 1.8.x that does not use auth-enabled but is protected by a reverse proxy with basic authentication. (defaults to false, don’t set to true when talking to InfluxDB 2)

**Key list[str] profilers** list of enabled Flux profilers

**authorizations\_api()** → influxdb\_client.client.authorizations\_api.AuthorizationsApi  
Create the Authorizations API instance.

**Returns** authorizations api

**buckets\_api()** → influxdb\_client.client.bucket\_api.BucketsApi  
Create the Bucket API instance.

**Returns** buckets api

**close()**  
Shutdown the client.

**delete\_api()** → influxdb\_client.client.delete\_api.DeleteApi  
Get the delete metrics API instance.

**Returns** delete api

**classmethod from\_config\_file**(*config\_file: str = 'config.ini', debug=None, enable\_gzip=False*)

Configure client via configuration file. The configuration has to be under ‘influx’ section.

**The supported formats:**

- <https://docs.python.org/3/library/configparser.html>
- <https://toml.io/en/>

**Configuration options:**

- url
- org



- token
- timeout,
- verify\_ssl
- ssl\_ca\_cert
- connection\_pool\_maxsize
- auth\_basic
- profilers
- proxy

config.ini example:

```
[influx2]
url=http://localhost:8086
org=my-org
token=my-token
timeout=6000
connection_pool_maxsize=25
auth_basic=false
profilers=query,operator
proxy=http:proxy.domain.org:8080

[tags]
id = 132-987-655
customer = California Miner
data_center = ${env.data_center}
```

config.toml example:

```
[influx2]
  url = "http://localhost:8086"
  token = "my-token"
  org = "my-org"
  timeout = 6000
  connection_pool_maxsize = 25
  auth_basic = false
  profilers="query, operator"
  proxy = "http://proxy.domain.org:8080"

[tags]
  id = "132-987-655"
  customer = "California Miner"
  data_center = "${env.data_center}"
```

**classmethod from\_env\_properties** (*debug=None, enable\_gzip=False*)

Configure client via environment properties.

**Supported environment properties:**

- INFLUXDB\_V2\_URL
- INFLUXDB\_V2\_ORG
- INFLUXDB\_V2\_TOKEN
- INFLUXDB\_V2\_TIMEOUT
- INFLUXDB\_V2\_VERIFY\_SSL

- INFLUXDB\_V2\_SSL\_CA\_CERT
- INFLUXDB\_V2\_CONNECTION\_POOL\_MAXSIZE
- INFLUXDB\_V2\_AUTH\_BASIC

**health()** → influxdb\_client.domain.health\_check.HealthCheck  
Get the health of an instance.

**Returns** HealthCheck

**labels\_api()** → influxdb\_client.client.labels\_api.LabelsApi  
Create the Labels API instance.

**Returns** labels api

**organizations\_api()** → influxdb\_client.client.organizations\_api.OrganizationsApi  
Create the Organizations API instance.

**Returns** organizations api

**ping()** → bool  
Return the the status of InfluxDB instance.

**Returns** The status of InfluxDB.

**query\_api** (*query\_options*: *influxdb\_client.client.query\_api.QueryOptions* =  
                  <*influxdb\_client.client.query\_api.QueryOptions*   *object*>) → *in-*  
                  *fluxdb\_client.client.query\_api.QueryApi*  
Create a Query API instance.

**Parameters** *query\_options* – optional query api configuration

**Returns** Query api instance

**ready()** → influxdb\_client.domain.ready.Ready  
Get The readiness of the InfluxDB 2.0.

**Returns** Ready

**tasks\_api()** → influxdb\_client.client.tasks\_api.TasksApi  
Create the Tasks API instance.

**Returns** tasks api

**users\_api()** → influxdb\_client.client.users\_api.UsersApi  
Create the Users API instance.

**Returns** users api

**version()** → str  
Return the version of the connected InfluxDB Server.

**Returns** The version of InfluxDB.

**write\_api** (*write\_options*=<*influxdb\_client.client.write\_api.WriteOptions*   *object*>,  
            *point\_settings*=<*influxdb\_client.client.write\_api.PointSettings*   *object*>,  
            → *influxdb\_client.client.write\_api.WriteApi*   *\*\*kwargs*)  
Create a Write API instance.

**Example:**

```
from influxdb_client import InfluxDBClient
from influxdb_client.client.write_api import SYNCHRONOUS
```

(continues on next page)

(continued from previous page)

```
# Initialize SYNCHRONOUS instance of WriteApi
with InfluxDBClient(url="http://localhost:8086", token="my-token", org=
↳ "my-org") as client:
    write_api = client.write_api(write_options=SYNCHRONOUS)
```

If you would like to use a **background batching**, you have to configure client like this:

```
from influxdb_client import InfluxDBClient

# Initialize background batching instance of WriteApi
with InfluxDBClient(url="http://localhost:8086", token="my-token", org="my-org
↳ ") as client:
    with client.write_api() as write_api:
        pass
```

There is also possibility to use callbacks to notify about state of background batches:

```
from influxdb_client import InfluxDBClient
from influxdb_client.client.exceptions import InfluxDBError

class BatchingCallback(object):

    def success(self, conf: (str, str, str), data: str):
        print(f"Written batch: {conf}, data: {data}")

    def error(self, conf: (str, str, str), data: str, exception:
↳ InfluxDBError):
        print(f"Cannot write batch: {conf}, data: {data} due: {exception}")

    def retry(self, conf: (str, str, str), data: str, exception:
↳ InfluxDBError):
        print(f"Retryable error occurs for batch: {conf}, data: {data} retry:
↳ {exception}")

with InfluxDBClient(url="http://localhost:8086", token="my-token", org="my-org
↳ ") as client:
    callback = BatchingCallback()
    with client.write_api(success_callback=callback.success,
        error_callback=callback.error,
        retry_callback=callback.retry) as write_api:

        pass
```

### Parameters

- **write\_options** – Write API configuration
- **point\_settings** – settings to store default tags

**Key success\_callback** The callable callback to run after successfully written a batch.

**The callable must accept two arguments:**

- *Tuple*: (bucket, organization, precision)
- *str*: written data

**[batching mode]**

**Key error\_callback** The callable `callback` to run after unsuccessfully written a batch.

**The callable must accept three arguments:**

- *Tuple*: (bucket, organization, precision)
- *str*: written data
- *Exception*: an occurred error

**[batching mode]**

**Key retry\_callback** The callable `callback` to run after retryable error occurred.

**The callable must accept three arguments:**

- *Tuple*: (bucket, organization, precision)
- *str*: written data
- *Exception*: an retryable error

**[batching mode]**

**Returns** write api instance

## 2.2 QueryApi

**class** `influxdb_client.QueryApi` (`influxdb_client`, `query_options=<influxdb_client.client.query_api.QueryOptions object>`)

Implementation for '/api/v2/query' endpoint.

Initialize query client.

**Parameters** `influxdb_client` – influxdb client

**query** (`query: str`, `org=None`, `params: dict = None`) → List[`influxdb_client.client.flux_table.FluxTable`]

Execute synchronous Flux query and return result as a List['FluxTable'].

**Parameters**

- **query** – the Flux query
- **Organization org** (`str`,) – specifies the organization for executing the query; take the ID, Name or Organization; if it's not specified then is used default from client.org.
- **params** – bind parameters

**Returns**

**query\_csv** (`query: str`, `org=None`, `dialect: influxdb_client.domain.dialect.Dialect = {'annotations': ['datatype', 'group', 'default'], 'comment_prefix': '#', 'date_time_format': 'RFC3339', 'delimiter': ',', 'header': True}`, `params: dict = None`)

Execute the Flux query and return results as a CSV iterator. Each iteration returns a row of the CSV file.

**Parameters**

- **query** – a Flux query
- **Organization org** (`str`,) – specifies the organization for executing the query; take the ID, Name or Organization; if it's not specified then is used default from client.org.
- **dialect** – csv dialect format

- **params** – bind parameters

**Returns** The returned object is an iterator. Each iteration returns a row of the CSV file (which can span multiple input lines).

**query\_data\_frame** (*query: str, org=None, data\_frame\_index: List[str] = None, params: dict = None*)

Execute synchronous Flux query and return Pandas DataFrame.

Note that if a query returns tables with differing schemas than the client generates a DataFrame for each of them.

#### Parameters

- **query** – the Flux query
- **Organization org** (*str*,) – specifies the organization for executing the query; take the ID, Name or Organization; if it's not specified then is used default from client.org.
- **data\_frame\_index** – the list of columns that are used as DataFrame index
- **params** – bind parameters

#### Returns

**query\_data\_frame\_stream** (*query: str, org=None, data\_frame\_index: List[str] = None, params: dict = None*)

Execute synchronous Flux query and return stream of Pandas DataFrame as a Generator['pd.DataFrame'].

Note that if a query returns tables with differing schemas than the client generates a DataFrame for each of them.

#### Parameters

- **query** – the Flux query
- **Organization org** (*str*,) – specifies the organization for executing the query; take the ID, Name or Organization; if it's not specified then is used default from client.org.
- **data\_frame\_index** – the list of columns that are used as DataFrame index
- **params** – bind parameters

#### Returns

**query\_raw** (*query: str, org=None, dialect={'annotations': ['datatype', 'group', 'default'], 'comment\_prefix': '#', 'date\_time\_format': 'RFC3339', 'delimiter': ',', 'header': True}, params: dict = None*)

Execute synchronous Flux query and return result as raw unprocessed result as a str.

#### Parameters

- **query** – a Flux query
- **Organization org** (*str*,) – specifies the organization for executing the query; take the ID, Name or Organization; if it's not specified then is used default from client.org.
- **dialect** – csv dialect format
- **params** – bind parameters

#### Returns

**query\_stream** (*query: str, org=None, params: dict = None*) → Generator[[influxdb\_client.client.flux\_table.FluxRecord, Any], None]

Execute synchronous Flux query and return stream of FluxRecord as a Generator['FluxRecord'].

#### Parameters

- **query** – the Flux query
- **Organization org (str,)** – specifies the organization for executing the query; take the ID, Name or Organization; if it's not specified then is used default from client.org.
- **params** – bind parameters

**Returns**

## 2.3 WriteApi

```
class influxdb_client.WriteApi (influxdb_client, write_options: influxdb_client.client.write_api.WriteOptions = <influxdb_client.client.write_api.WriteOptions object>, point_settings: influxdb_client.client.write_api.PointSettings = <influxdb_client.client.write_api.PointSettings object>, **kwargs)
```

Implementation for '/api/v2/write' endpoint.

**Example:**

```
from influxdb_client import InfluxDBClient
from influxdb_client.client.write_api import SYNCHRONOUS

# Initialize SYNCHRONOUS instance of WriteApi
with InfluxDBClient(url="http://localhost:8086", token="my-token", org="my-org") as client:
    write_api = client.write_api(write_options=SYNCHRONOUS)
```

Initialize defaults.

**Parameters**

- **influxdb\_client** – with default settings (organization)
- **write\_options** – write api configuration
- **point\_settings** – settings to store default tags.

**Key success\_callback** The callable callback to run after successfully written a batch.

**The callable must accept two arguments:**

- *Tuple*: (bucket, organization, precision)
- *str*: written data

**[batching mode]**

**Key error\_callback** The callable callback to run after unsuccessfully written a batch.

**The callable must accept three arguments:**

- *Tuple*: (bucket, organization, precision)
- *str*: written data
- *Exception*: an occurred error

**[batching mode]**

**Key retry\_callback** The callable callback to run after retryable error occurred.

The callable must accept three arguments:

- *Tuple*: (bucket, organization, precision)
- *str*: written data
- *Exception*: an retryable error

[batching mode]

**close()**

Flush data and dispose a batching buffer.

**flush()**

Flush data.

**write**(bucket: str, org: str = None, record: Union[str, Iterable[str], influxdb\_client.client.write.point.Point, Iterable[Point], dict, Iterable[dict], bytes, Iterable[bytes], rx.core.observable.observable.Observable, NamedTuple, Iterable[NamedTuple], dataclass, Iterable[dataclass]] = None, write\_precision: influxdb\_client.domain.write\_precision.WritePrecision = 'ns', \*\*kwargs) → Any  
Write time-series data into InfluxDB.

**Parameters**

- **bucket** (*str*) – specifies the destination bucket for writes (required)
- **Organization org** (*str*,) – specifies the destination organization for writes; take the ID, Name or Organization; if it's not specified then is used default from client.org.
- **write\_precision** (*WritePrecision*) – specifies the precision for the unix timestamps within the body line-protocol. The precision specified on a Point has precedes and is use for write.
- **record** – Point, Line Protocol, Dictionary, NamedTuple, Data Classes, Pandas DataFrame or RxPY Observable to write

**Key data\_frame\_measurement\_name** name of measurement for writing Pandas DataFrame - DataFrame

**Key data\_frame\_tag\_columns** list of DataFrame columns which are tags, rest columns will be fields - DataFrame

**Key record\_measurement\_key** key of record with specified measurement - dictionary, NamedTuple, dataclass

**Key record\_measurement\_name** static measurement name - dictionary, NamedTuple, dataclass

**Key record\_time\_key** key of record with specified timestamp - dictionary, NamedTuple, dataclass

**Key record\_tag\_keys** list of record keys to use as a tag - dictionary, NamedTuple, dataclass

**Key record\_field\_keys** list of record keys to use as a field - dictionary, NamedTuple, dataclass

**Example:**

```
# Record as Line Protocol
write_api.write("my-bucket", "my-org", "h2o_feet,location=us-west_
↪level=125i 1")
```

(continues on next page)

(continued from previous page)

```

# Record as Dictionary
dictionary = {
    "measurement": "h2o_feet",
    "tags": {"location": "us-west"},
    "fields": {"level": 125},
    "time": 1
}
write_api.write("my-bucket", "my-org", dictionary)

# Record as Point
from influxdb_client import Point
point = Point("h2o_feet").tag("location", "us-west").field("level", 125).
    ↪time(1)
write_api.write("my-bucket", "my-org", point)

```

**DataFrame:** The index of **Pandas DataFrame** is used as a timestamp for written data. The index should be **PeriodIndex** or its must be transformable to datetime by **pandas.to\_datetime**.

If you would like to transform a column to **PeriodIndex**, you can use something like:

```

import pandas as pd

# DataFrame
data_frame = ...
# Set column as Index
data_frame.set_index('column_name', inplace=True)
# Transform index to PeriodIndex
data_frame.index = pd.to_datetime(data_frame.index, unit='s')

```

**class** influxdb\_client.client.write.point.**Point** (*measurement\_name*)

Point defines the values that will be written to the database.

Ref: <http://bit.ly/influxdata-point>

Initialize defaults.

**field** (*field*, *value*)

Add field with key and value.

**static from\_dict** (*dictionary: dict*, *write\_precision: influxdb\_client.domain.write\_precision.WritePrecision*  
= 'ns', *\*\*kwargs*)

Initialize point from 'dict' structure.

**The expected dict structure is:**

- measurement
- tags
- fields
- time

**Example:**

```

# Use default dictionary structure
dict_structure = {
    "measurement": "h2o_feet",
    "tags": {"location": "coyote_creek"},

```

(continues on next page)



(continued from previous page)

```

        "fields": {"water_level": 1.0},
        "time": 1
    }
    point = Point.from_dict(dict_structure, WritePrecision.NS)

```

**Example:**

```

# Use custom dictionary structure
dictionary = {
    "name": "sensor_pt859",
    "location": "warehouse_125",
    "version": "2021.06.05.5874",
    "pressure": 125,
    "temperature": 10,
    "created": 1632208639,
}
point = Point.from_dict(dictionary,
                        write_precision=WritePrecision.S,
                        record_measurement_key="name",
                        record_time_key="created",
                        record_tag_keys=["location", "version"],
                        record_field_keys=["pressure", "temperature"])

```

**Parameters**

- **dictionary** – dictionary for serialize into data Point
- **write\_precision** – sets the precision for the supplied time values

**Key record\_measurement\_key** key of dictionary with specified measurement

**Key record\_measurement\_name** static measurement name for data Point

**Key record\_time\_key** key of dictionary with specified timestamp

**Key record\_tag\_keys** list of dictionary keys to use as a tag

**Key record\_field\_keys** list of dictionary keys to use as a field

**Returns** new data point

**static measurement** (*measurement*)

Create a new Point with specified measurement name.

**tag** (*key, value*)

Add tag with key and value.

**time** (*time, write\_precision='ns'*)

Specify timestamp for DataPoint with declared precision.

If time doesn't have specified timezone we assume that timezone is UTC.

**Examples::** Point.measurement("h2o").field("val", 1).time("2009-11-10T23:00:00.123456Z")  
 Point.measurement("h2o").field("val", 1).time(1257894000123456000)  
 Point.measurement("h2o").field("val", 1).time(datetime(2009, 11, 10, 23, 0, 0, 123456))  
 Point.measurement("h2o").field("val", 1).time(1257894000123456000, write\_precision=WritePrecision.NS)

**Parameters**

- **time** – the timestamp for your data
- **write\_precision** – sets the precision for the supplied time values

**Returns** this point

**to\_line\_protocol()**

Create LineProtocol.

**write\_precision**

Get precision.

**class** influxdb\_client.domain.write\_precision.**WritePrecision**

NOTE: This class is auto generated by OpenAPI Generator.

Ref: <https://openapi-generator.tech>

Do not edit the class manually.

WritePrecision - a model defined in OpenAPI.

**NS** = 'ns'

**Attributes:**

**openapi\_types (dict):** The key is attribute name and the value is attribute type.

**attribute\_map (dict):** The key is attribute name and the value is json key in definition.

**to\_dict()**

Return the model properties as a dict.

**to\_str()**

Return the string representation of the model.

## 2.4 BucketsApi

**class** influxdb\_client.**BucketsApi**(influxdb\_client)

Implementation for '/api/v2/buckets' endpoint.

Initialize defaults.

**create\_bucket**(bucket=None, bucket\_name=None, org\_id=None, retention\_rules=None, description=None, org=None) → influxdb\_client.domain.bucket.Bucket

Create a bucket.

**Parameters**

- **bucket** ([Bucket](#)) – bucket to create
- **bucket\_name** – bucket name
- **description** – bucket description
- **org\_id** – org\_id
- **bucket\_name** – bucket name
- **retention\_rules** – retention rules array or single [BucketRetentionRules](#)
- **Organization org** (*str*,) – specifies the organization for create the bucket; take the ID, Name or Organization; if it's not specified then is used default from client.org.

**Returns** Bucket If the method is called asynchronously, returns the request thread.

**delete\_bucket** (*bucket*)

Delete a bucket.

**Parameters** **bucket** – bucket id or Bucket

**Returns** Bucket

**find\_bucket\_by\_id** (*id*)

Find bucket by ID.

**Parameters** **id** –

**Returns**

**find\_bucket\_by\_name** (*bucket\_name*)

Find bucket by name.

**Parameters** **bucket\_name** – bucket name

**Returns** Bucket

**find\_buckets** (*\*\*kwargs*)

List buckets.

**Key int offset** Offset for pagination

**Key int limit** Limit for pagination

**Key str after** The last resource ID from which to seek from (but not including). This is to be used instead of *offset*.

**Key str org** The organization name.

**Key str org\_id** The organization ID.

**Key str name** Only returns buckets with a specific name.

**Returns** Buckets

**update\_bucket** (*bucket:* *influxdb\_client.domain.bucket.Bucket*) → *influxdb\_client.domain.bucket.Bucket*

Update a bucket.

**Parameters** **bucket** – Bucket update to apply (required)

**Returns** Bucket

```
class influxdb_client.domain.Bucket (links=None, id=None, type='user', name=None,
                                     description=None, org_id=None, rp=None,
                                     schema_type=None, created_at=None, up-
                                     dated_at=None, retention_rules=None, labels=None)
```

NOTE: This class is auto generated by OpenAPI Generator.

Ref: <https://openapi-generator.tech>

Do not edit the class manually.

Bucket - a model defined in OpenAPI.

**created\_at**

Get the created\_at of this Bucket.

**Returns** The created\_at of this Bucket.

**Return type** datetime

**description**

Get the description of this Bucket.

**Returns** The description of this Bucket.

**Return type** `str`

#### **id**

Get the id of this Bucket.

**Returns** The id of this Bucket.

**Return type** `str`

#### **labels**

Get the labels of this Bucket.

**Returns** The labels of this Bucket.

**Return type** `list[Label]`

#### **links**

Get the links of this Bucket.

**Returns** The links of this Bucket.

**Return type** `BucketLinks`

#### **name**

Get the name of this Bucket.

**Returns** The name of this Bucket.

**Return type** `str`

#### **org\_id**

Get the org\_id of this Bucket.

**Returns** The org\_id of this Bucket.

**Return type** `str`

#### **retention\_rules**

Get the retention\_rules of this Bucket.

Rules to expire or retain data. No rules means data never expires.

**Returns** The retention\_rules of this Bucket.

**Return type** `list[BucketRetentionRules]`

#### **rp**

Get the rp of this Bucket.

**Returns** The rp of this Bucket.

**Return type** `str`

#### **schema\_type**

Get the schema\_type of this Bucket.

**Returns** The schema\_type of this Bucket.

**Return type** `SchemaType`

#### **to\_dict()**

Return the model properties as a dict.

#### **to\_str()**

Return the string representation of the model.

**type**  
Get the type of this Bucket.

**Returns** The type of this Bucket.

**Return type** `str`

**updated\_at**  
Get the updated\_at of this Bucket.

**Returns** The updated\_at of this Bucket.

**Return type** `datetime`

## 2.5 LabelsApi

**class** `influxdb_client.LabelsApi` (`influxdb_client`)  
Implementation for '/api/v2/labels' endpoint.

Initialize defaults.

**clone\_label** (`cloned_name: str, label: influxdb_client.domain.label.Label`) → `influxdb_client.domain.label.Label`  
Create the new instance of the label as a copy existing label.

**Parameters**

- **cloned\_name** – new label name
- **label** – existing label

**Returns** cloned Label

**create\_label** (`name: str, org_id: str, properties: Dict[str, str] = None`) → `influxdb_client.domain.label.Label`  
Create a new label.

**Parameters**

- **name** – label name
- **org\_id** – organization id
- **properties** – optional label properties

**Returns** created label

**delete\_label** (`label: Union[str, influxdb_client.domain.label.Label]`)  
Delete the label.

**Parameters** **label** – label id or Label

**find\_label\_by\_id** (`label_id: str`)  
Retrieve the label by id.

**Parameters** **label\_id** –

**Returns** Label

**find\_label\_by\_org** (`org_id`) → `List[influxdb_client.domain.label.Label]`  
Get the list of all labels for given organization.

**Parameters** **org\_id** – organization id

**Returns** list of labels

**find\_labels** (\*\*kwargs) → List[influxdb\_client.domain.label.Label]

Get all available labels.

**Key str org\_id** The organization ID.

**Returns** labels

**update\_label** (label: influxdb\_client.domain.label.Label)

Update an existing label name and properties.

**Parameters label** – label

**Returns** the updated label

## 2.6 OrganizationsApi

**class** influxdb\_client.OrganizationsApi (influxdb\_client)

Implementation for '/api/v2/orgs' endpoint.

Initialize defaults.

**create\_organization** (name: str = None, organization: influxdb\_client.domain.organization.Organization = None) → influxdb\_client.domain.organization.Organization

Create an organization.

**delete\_organization** (org\_id: str)

Delete an organization.

**find\_organization** (org\_id)

Retrieve an organization.

**find\_organizations** (\*\*kwargs)

List all organizations.

**Key int offset** Offset for pagination

**Key int limit** Limit for pagination

**Key bool descending**

**Key str org** Filter organizations to a specific organization name.

**Key str org\_id** Filter organizations to a specific organization ID.

**Key str user\_id** Filter organizations to a specific user ID.

**me** ()

Return the current authenticated user.

**update\_organization** (organization: influxdb\_client.domain.organization.Organization) → influxdb\_client.domain.organization.Organization

Update an organization.

**Parameters organization** – Organization update to apply (required)

**Returns** Organization

**class** influxdb\_client.domain.Organization (links=None, id=None, name=None, description=None, created\_at=None, updated\_at=None, status='active')

NOTE: This class is auto generated by OpenAPI Generator.

Ref: <https://openapi-generator.tech>

Do not edit the class manually.

Organization - a model defined in OpenAPI.

#### **created\_at**

Get the created\_at of this Organization.

**Returns** The created\_at of this Organization.

**Return type** datetime

#### **description**

Get the description of this Organization.

**Returns** The description of this Organization.

**Return type** str

#### **id**

Get the id of this Organization.

**Returns** The id of this Organization.

**Return type** str

#### **links**

Get the links of this Organization.

**Returns** The links of this Organization.

**Return type** OrganizationLinks

#### **name**

Get the name of this Organization.

**Returns** The name of this Organization.

**Return type** str

#### **status**

Get the status of this Organization.

If inactive the organization is inactive.

**Returns** The status of this Organization.

**Return type** str

#### **to\_dict()**

Return the model properties as a dict.

#### **to\_str()**

Return the string representation of the model.

#### **updated\_at**

Get the updated\_at of this Organization.

**Returns** The updated\_at of this Organization.

**Return type** datetime

## 2.7 UsersApi

**class** influxdb\_client.UsersApi (influxdb\_client)

Implementation for '/api/v2/users' endpoint.

Initialize defaults.

**create\_user** (*name: str*) → influxdb\_client.domain.user.User  
Create a user.

**delete\_user** (*user: Union[str, influxdb\_client.domain.user.User, influxdb\_client.domain.user\_response.UserResponse]*) → None  
Delete a user.

**Parameters** **user** – user id or User

**Returns** User

**find\_users** (*\*\*kwargs*) → influxdb\_client.domain.users.Users  
List all users.

**Key int offset** Offset for pagination

**Key int limit** Limit for pagination

**Key str after** The last resource ID from which to seek from (but not including). This is to be used instead of *offset*.

**Key str name** The user name.

**Key str id** The user ID.

**Returns** Buckets

**me** () → influxdb\_client.domain.user.User  
Return the current authenticated user.

**update\_user** (*user: influxdb\_client.domain.user.User*) → influxdb\_client.domain.user\_response.UserResponse  
Update a user.

**Parameters** **user** – User update to apply (required)

**Returns** User

**class** influxdb\_client.domain.**User** (*id=None, oauth\_id=None, name=None, status='active'*)

NOTE: This class is auto generated by OpenAPI Generator.

Ref: <https://openapi-generator.tech>

Do not edit the class manually.

User - a model defined in OpenAPI.

**id**

Get the id of this User.

**Returns** The id of this User.

**Return type** str

**name**

Get the name of this User.

**Returns** The name of this User.

**Return type** str

**oauth\_id**

Get the oauth\_id of this User.

**Returns** The oauth\_id of this User.

**Return type** str



**status**

Get the status of this User.

If inactive the user is inactive.

**Returns** The status of this User.

**Return type** `str`

**to\_dict()**

Return the model properties as a dict.

**to\_str()**

Return the string representation of the model.

## 2.8 TasksApi

**class** `influxdb_client.TasksApi` (`influxdb_client`)

Implementation for '/api/v2/tasks' endpoint.

Initialize defaults.

**add\_label** (`label_id: str, task_id: str`) → `influxdb_client.domain.label_response.LabelResponse`

Add a label to a task.

**add\_member** (`member_id, task_id`)

Add a member to a task.

**add\_owner** (`owner_id, task_id`)

Add an owner to a task.

**cancel\_run** (`task_id: str, run_id: str`)

Cancel a currently running run.

**Parameters**

- **task\_id** –

- **run\_id** –

**clone\_task** (`task: influxdb_client.domain.task.Task`) → `influxdb_client.domain.task.Task`

Clone a task.

**create\_task** (`task: influxdb_client.domain.task.Task = None, task_create_request: influxdb_client.domain.task_create_request.TaskCreateRequest = None`) → `influxdb_client.domain.task.Task`

Create a new task.

**create\_task\_cron** (`name: str, flux: str, cron: str, org_id: str`) → `influxdb_client.domain.task.Task`

Create a new task with cron repetition schedule.

**create\_task\_every** (`name, flux, every, organization`) → `influxdb_client.domain.task.Task`

Create a new task with every repetition schedule.

**delete\_label** (`label_id: str, task_id: str`)

Delete a label from a task.

**delete\_member** (`member_id, task_id`)

Remove a member from a task.

**delete\_owner** (`owner_id, task_id`)

Remove an owner from a task.

**delete\_task** (*task\_id: str*)

Delete a task.

**find\_task\_by\_id** (*task\_id*) → influxdb\_client.domain.task.Task

Retrieve a task.

**find\_tasks** (\*\*kwargs)

List all tasks.

**Key str name** only returns tasks with the specified name

**Key str after** returns tasks after specified ID

**Key str user** filter tasks to a specific user ID

**Key str org** filter tasks to a specific organization name

**Key str org\_id** filter tasks to a specific organization ID

**Key int limit** the number of tasks to return

**Returns** Tasks

**find\_tasks\_by\_user** (*task\_user\_id*)

List all tasks by user.

**get\_labels** (*task\_id*)

List all labels for a task.

**get\_logs** (*task\_id: str*) → List[influxdb\_client.domain.log\_event.LogEvent]

Retrieve all logs for a task.

**Parameters task\_id** – task id

**get\_members** (*task\_id: str*)

List all task members.

**get\_owners** (*task\_id*)

List all owners of a task.

**get\_run** (*task\_id: str, run\_id: str*) → influxdb\_client.domain.run.Run

Get run record for specific task and run id.

**Parameters**

- **task\_id** – task id

- **run\_id** – run id

**Returns** Run for specified task and run id

**get\_run\_logs** (*task\_id: str, run\_id: str*) → List[influxdb\_client.domain.log\_event.LogEvent]

Retrieve all logs for a run.

**get\_runs** (*task\_id, \*\*kwargs*) → List[influxdb\_client.domain.run.Run]

Retrieve list of run records for a task.

**Parameters**

- **task\_id** – task id

- **after** (*str*) – returns runs after specified ID

- **limit** (*int*) – the number of runs to return

- **after\_time** (*datetime*) – filter runs to those scheduled after this time, RFC3339

- **before\_time** (*datetime*) – filter runs to those scheduled before this time, RFC3339

**retry\_run** (*task\_id: str, run\_id: str*)

Retry a task run.

**Parameters**

- **task\_id** – task id
- **run\_id** – run id

**run\_manually** (*task\_id: str, scheduled\_for: <module 'datetime' from 'home/docs/.pyenv/versions/3.6.12/lib/python3.6/datetime.py'> = None*)

Manually start a run of the task now overriding the current schedule.

**Parameters**

- **task\_id** –
- **scheduled\_for** – planned execution

**update\_task** (*task: influxdb\_client.domain.task.Task*) → influxdb\_client.domain.task.Task

Update a task.

**update\_task\_request** (*task\_id, task\_update\_request: influxdb\_client.domain.task\_update\_request.TaskUpdateRequest*) → influxdb\_client.domain.task.Task

Update a task.

```
class influxdb_client.domain.Task(id=None, type=None, org_id=None, org=None,
                                  name=None, description=None, status=None, labels=None,
                                  authorization_id=None, flux=None, every=None,
                                  cron=None, offset=None, last_completed=None,
                                  last_run_status=None, last_run_error=None,
                                  created_at=None, updated_at=None, links=None)
```

NOTE: This class is auto generated by OpenAPI Generator.

Ref: <https://openapi-generator.tech>

Do not edit the class manually.

Task - a model defined in OpenAPI.

**authorization\_id**

Get the authorization\_id of this Task.

The ID of the authorization used when this task communicates with the query engine.

**Returns** The authorization\_id of this Task.

**Return type** str

**created\_at**

Get the created\_at of this Task.

**Returns** The created\_at of this Task.

**Return type** datetime

**cron**

Get the cron of this Task.

A task repetition schedule in the form ‘\* \* \* \* \*’; parsed from Flux.

**Returns** The cron of this Task.

**Return type** str

**description**

Get the description of this Task.

An optional description of the task.

**Returns** The description of this Task.

**Return type** `str`

**every**

Get the every of this Task.

A simple task repetition schedule; parsed from Flux.

**Returns** The every of this Task.

**Return type** `str`

**flux**

Get the flux of this Task.

The Flux script to run for this task.

**Returns** The flux of this Task.

**Return type** `str`

**id**

Get the id of this Task.

**Returns** The id of this Task.

**Return type** `str`

**labels**

Get the labels of this Task.

**Returns** The labels of this Task.

**Return type** `list[Label]`

**last\_run\_error**

Get the last\_run\_error of this Task.

**Returns** The last\_run\_error of this Task.

**Return type** `str`

**last\_run\_status**

Get the last\_run\_status of this Task.

**Returns** The last\_run\_status of this Task.

**Return type** `str`

**latest\_completed**

Get the latest\_completed of this Task.

Timestamp of latest scheduled, completed run, RFC3339.

**Returns** The latest\_completed of this Task.

**Return type** `datetime`

**links**

Get the links of this Task.

**Returns** The links of this Task.

**Return type** TaskLinks

#### **name**

Get the name of this Task.

The name of the task.

**Returns** The name of this Task.

**Return type** str

#### **offset**

Get the offset of this Task.

Duration to delay after the schedule, before executing the task; parsed from flux, if set to zero it will remove this option and use 0 as the default.

**Returns** The offset of this Task.

**Return type** str

#### **org**

Get the org of this Task.

The name of the organization that owns this Task.

**Returns** The org of this Task.

**Return type** str

#### **org\_id**

Get the org\_id of this Task.

The ID of the organization that owns this Task.

**Returns** The org\_id of this Task.

**Return type** str

#### **status**

Get the status of this Task.

**Returns** The status of this Task.

**Return type** TaskStatusType

#### **to\_dict()**

Return the model properties as a dict.

#### **to\_str()**

Return the string representation of the model.

#### **type**

Get the type of this Task.

The type of task, this can be used for filtering tasks on list actions.

**Returns** The type of this Task.

**Return type** str

#### **updated\_at**

Get the updated\_at of this Task.

**Returns** The updated\_at of this Task.

**Return type** datetime

## 2.9 DeleteApi

**class** influxdb\_client.DeleteApi (influxdb\_client)

Implementation for '/api/v2/delete' endpoint.

Initialize defaults.

**delete** (start: datetime.datetime, stop: object, predicate: object, bucket: str, org: str) → None

Delete Time series data from InfluxDB.

### Parameters

- **start** – start time
- **stop** – stop time
- **predicate** – predicate
- **bucket** – bucket id or name from which data will be deleted
- **org** – organization id or name

### Returns

**class** influxdb\_client.domain.DeletePredicateRequest (start=None, stop=None, predicate=None)

NOTE: This class is auto generated by OpenAPI Generator.

Ref: <https://openapi-generator.tech>

Do not edit the class manually.

DeletePredicateRequest - a model defined in OpenAPI.

### **predicate**

Get the predicate of this DeletePredicateRequest.

InfluxQL-like delete statement

**Returns** The predicate of this DeletePredicateRequest.

**Return type** str

### **start**

Get the start of this DeletePredicateRequest.

RFC3339Nano

**Returns** The start of this DeletePredicateRequest.

**Return type** datetime

### **stop**

Get the stop of this DeletePredicateRequest.

RFC3339Nano

**Returns** The stop of this DeletePredicateRequest.

**Return type** datetime

### **to\_dict** ()

Return the model properties as a dict.

### **to\_str** ()

Return the string representation of the model.

## 2.10 Helpers

**class** influxdb\_client.client.util.date\_utils.**DateHelper** (timezone: datetime.tzinfo = <UTC>)

DateHelper to groups different implementations of date operations.

Initialize defaults.

**Parameters** **timezone** – Default timezone used for serialization “datetime” without “tzinfo”. Default value is “UTC”.

**parse\_date** (date\_string: str)

Parse string into Date or Timestamp.

**Returns** Returns a `datetime.datetime` object or compliant implementation like class `'pandas._libs.tslibs.timestamps.Timestamp`

**to\_nanoseconds** (delta)

Get number of nanoseconds in timedelta.

Solution comes from v1 client. Thx. <https://github.com/influxdata/influxdb-python/pull/811>

**to\_utc** (value: <module 'datetime' from '/home/docs/.pyenv/versions/3.6.12/lib/python3.6/datetime.py'>)

Convert datetime to UTC timezone.

**Parameters** **value** – datetime

**Returns** datetime in UTC

**class** influxdb\_client.client.util.multiprocessing\_helper.**MultiprocessingWriter** (\*\*kwargs)

The Helper class to write data into InfluxDB in independent OS process.

**Example:**

```
from influxdb_client import WriteOptions
from influxdb_client.client.util.multiprocessing_helper import _
↳ MultiprocessingWriter

def main():
    writer = MultiprocessingWriter(url="http://localhost:8086", token="my-
↳ token", org="my-org",
                                write_options=WriteOptions(batch_size=100))
    writer.start()

    for x in range(1, 1000):
        writer.write(bucket="my-bucket", record=f"mem,tag=a value={x}i {x}")

    writer.__del__()

if __name__ == '__main__':
    main()
```

**How to use with context\_manager:**

```
from influxdb_client import WriteOptions
from influxdb_client.client.util.multiprocessing_helper import _
↳ MultiprocessingWriter
```

(continues on next page)

(continued from previous page)

```

def main():
    with MultiprocessingWriter(url="http://localhost:8086", token="my-token",
    ↪org="my-org",
                                write_options=WriteOptions(batch_size=100)) as
    ↪writer:
        for x in range(1, 1000):
            writer.write(bucket="my-bucket", record=f"mem,tag=a value={x}i {x}
    ↪")

if __name__ == '__main__':
    main()

```

**How to handle batch events:**

```

from influxdb_client import WriteOptions
from influxdb_client.client.exceptions import InfluxDBError
from influxdb_client.client.util.multiprocessing_helper import
    ↪MultiprocessingWriter

class BatchingCallback(object):

    def success(self, conf: (str, str, str), data: str):
        print(f"Written batch: {conf}, data: {data}")

    def error(self, conf: (str, str, str), data: str, exception:
    ↪InfluxDBError):
        print(f"Cannot write batch: {conf}, data: {data} due: {exception}")

    def retry(self, conf: (str, str, str), data: str, exception:
    ↪InfluxDBError):
        print(f"Retryable error occurs for batch: {conf}, data: {data} retry:
    ↪{exception}")

def main():
    callback = BatchingCallback()
    with MultiprocessingWriter(url="http://localhost:8086", token="my-token",
    ↪org="my-org",
                                success_callback=callback.success,
                                error_callback=callback.error,
                                retry_callback=callback.retry) as writer:

        for x in range(1, 1000):
            writer.write(bucket="my-bucket", record=f"mem,tag=a value={x}i {x}
    ↪")

if __name__ == '__main__':
    main()

```

Initialize defaults.

For more information how to initialize the writer see the examples above.

**Parameters** **kwargs** – arguments are passed into `__init__` function of `InfluxDBClient` and `write_api`.



**run()**

Initialize InfluxDBClient and waits for data to writes into InfluxDB.

**start()** → None

Start independent process for writing data into InfluxDB.

**terminate()** → None

Cleanup resources in independent process.

This function **cannot be used** to terminate the MultiprocessingWriter. If you want to finish your writes please call: `__del__`.

**write(\*\*kwargs)** → None

Append time-series data into underlying queue.

For more information how to pass arguments see the examples above.

**Parameters** **kwargs** – arguments are passed into write function of WriteApi

**Returns** None



This guide is meant to help you migrate your Python code from `influxdb-python` to `influxdb-client-python` by providing code examples that cover common usages.

If there is something missing, please feel free to create a [new request](#) for a guide enhancement.

### 3.1 Before You Start

Please take a moment to review the following client docs:

- [User Guide, README.rst](#)
- [Examples](#)
- [API Reference](#)
- [CHANGELOG.md](#)

### 3.2 Content

- *Initializing Client*
- *Creating Database/Bucket*
- *Dropping Database/Bucket*
- **Writes**
  - *LineProtocol*
  - *Dictionary-style object*
  - *Structured data*
  - *Pandas DataFrame*

- *Querying*

## 3.3 Initializing Client

### influxdb-python

```
from influxdb import InfluxDBClient

client = InfluxDBClient(host='127.0.0.1', port=8086, username='root', password='root',
↳ database='dbname')
```

### influxdb-client-python

```
from influxdb_client import InfluxDBClient

with InfluxDBClient(url='http://localhost:8086', token='my-token', org='my-org') as ␣
↳ client:
    pass
```

## 3.4 Creating Database/Bucket

### influxdb-python

```
from influxdb import InfluxDBClient

client = InfluxDBClient(host='127.0.0.1', port=8086, username='root', password='root',
↳ database='dbname')

dbname = 'example'
client.create_database(dbname)
client.create_retention_policy('awesome_policy', '60m', 3, database=dbname, ␣
↳ default=True)
```

### influxdb-client-python

```
from influxdb_client import InfluxDBClient, BucketRetentionRules

org = 'my-org'

with InfluxDBClient(url='http://localhost:8086', token='my-token', org=org) as client:
    buckets_api = client.buckets_api()

    # Create Bucket with retention policy set to 3600 seconds and name "bucket-by-
    ↳python"
    retention_rules = BucketRetentionRules(type="expire", every_seconds=3600)
    created_bucket = buckets_api.create_bucket(bucket_name="bucket-by-python",
                                                retention_rules=retention_rules,
                                                org=org)
```

## 3.5 Dropping Database/Bucket

### influxdb-python

```

from influxdb import InfluxDBClient

client = InfluxDBClient(host='127.0.0.1', port=8086, username='root', password='root',
    ↪ database='dbname')

dbname = 'example'
client.drop_database(dbname)

```

#### influxdb-client-python

```

from influxdb_client import InfluxDBClient

with InfluxDBClient(url='http://localhost:8086', token='my-token', org='my-org') as client:
    ↪ client:
        buckets_api = client.buckets_api()

        bucket = buckets_api.find_bucket_by_name("my-bucket")
        buckets_api.delete_bucket(bucket)

```

## 3.6 Writing LineProtocol

#### influxdb-python

```

from influxdb import InfluxDBClient

client = InfluxDBClient(host='127.0.0.1', port=8086, username='root', password='root',
    ↪ database='dbname')

client.write('h2o_feet,location=coyote_creek water_level=1.0 1', protocol='line')

```

#### influxdb-client-python

```

from influxdb_client import InfluxDBClient
from influxdb_client.client.write_api import SYNCHRONOUS

with InfluxDBClient(url='http://localhost:8086', token='my-token', org='my-org') as client:
    ↪ client:
        write_api = client.write_api(write_options=SYNCHRONOUS)

        write_api.write(bucket='my-bucket', record='h2o_feet,location=coyote_creek water_
    ↪ level=1.0 1')

```

## 3.7 Writing Dictionary-style object

#### influxdb-python

```

from influxdb import InfluxDBClient

record = [
    {
        "measurement": "cpu_load_short",
        "tags": {

```

(continues on next page)

(continued from previous page)

```

        "host": "server01",
        "region": "us-west"
    },
    "time": "2009-11-10T23:00:00Z",
    "fields": {
        "Float_value": 0.64,
        "Int_value": 3,
        "String_value": "Text",
        "Bool_value": True
    }
}

client = InfluxDBClient(host='127.0.0.1', port=8086, username='root', password='root',
    ↪ database='dbname')

client.write_points(record)

```

**influxdb-client-python**

```

from influxdb_client import InfluxDBClient
from influxdb_client.client.write_api import SYNCHRONOUS

with InfluxDBClient(url='http://localhost:8086', token='my-token', org='my-org') as ↪
    ↪ client:
    write_api = client.write_api(write_options=SYNCHRONOUS)

    record = [
        {
            "measurement": "cpu_load_short",
            "tags": {
                "host": "server01",
                "region": "us-west"
            },
            "time": "2009-11-10T23:00:00Z",
            "fields": {
                "Float_value": 0.64,
                "Int_value": 3,
                "String_value": "Text",
                "Bool_value": True
            }
        }
    ]

    write_api.write(bucket='my-bucket', record=record)

```

## 3.8 Writing Structured Data

**influxdb-python**

```

from influxdb import InfluxDBClient
from influxdb import SeriesHelper

my_client = InfluxDBClient(host='127.0.0.1', port=8086, username='root', password=
    ↪ 'root', database='dbname')

```

(continues on next page)

(continued from previous page)

```

class MySeriesHelper(SeriesHelper):
    class Meta:
        client = my_client
        series_name = 'events.stats.{server_name}'
        fields = ['some_stat', 'other_stat']
        tags = ['server_name']
        bulk_size = 5
        autocommit = True

MySeriesHelper(server_name='us.east-1', some_stat=159, other_stat=10)
MySeriesHelper(server_name='us.east-1', some_stat=158, other_stat=20)

MySeriesHelper.commit()

```

The influxdb-client-python doesn't have an equivalent implementation for MySeriesHelper, but there is an option to use Python [Data Classes](#) way:

#### influxdb-client-python

```

from dataclasses import dataclass

from influxdb_client import InfluxDBClient
from influxdb_client.client.write_api import SYNCHRONOUS

@dataclass
class Car:
    """
    DataClass structure - Car
    """
    engine: str
    type: str
    speed: float

with InfluxDBClient(url='http://localhost:8086', token='my-token', org='my-org') as client:
    write_api = client.write_api(write_options=SYNCHRONOUS)

    car = Car('12V-BT', 'sport-cars', 125.25)

    write_api.write(bucket="my-bucket",
                    record=car,
                    record_measurement_name="performance",
                    record_tag_keys=["engine", "type"],
                    record_field_keys=["speed"])

```

## 3.9 Writing Pandas DataFrame

#### influxdb-python

```
import pandas as pd

from influxdb import InfluxDBClient

df = pd.DataFrame(data=list(range(30)),
                  index=pd.date_range(start='2014-11-16', periods=30, freq='H'),
                  columns=['0'])

client = InfluxDBClient(host='127.0.0.1', port=8086, username='root', password='root',
↳ database='dbname')

client.write_points(df, 'demo', protocol='line')
```

#### influxdb-client-python

```
import pandas as pd

from influxdb_client import InfluxDBClient
from influxdb_client.client.write_api import SYNCHRONOUS

with InfluxDBClient(url='http://localhost:8086', token='my-token', org='my-org') as client:
↳ client:
    write_api = client.write_api(write_options=SYNCHRONOUS)

    df = pd.DataFrame(data=list(range(30)),
                      index=pd.date_range(start='2014-11-16', periods=30, freq='H'),
                      columns=['0'])

    write_api.write(bucket='my-bucket', record=df, data_frame_measurement_name='demo')
```

## 3.10 Querying

#### influxdb-python

```
from influxdb import InfluxDBClient

client = InfluxDBClient(host='127.0.0.1', port=8086, username='root', password='root',
↳ database='dbname')

points = client.query('SELECT * from cpu').get_points()
for point in points:
    print(point)
```

#### influxdb-client-python

```
from influxdb_client import InfluxDBClient

with InfluxDBClient(url='http://localhost:8086', token='my-token', org='my-org',
↳ debug=True) as client:
    query = '''from(bucket: "my-bucket")
|> range(start: -10000d)
|> filter(fn: (r) => r["_measurement"] == "cpu")
|> pivot(rowKey:["_time"], columnKey: ["_field"], valueColumn: "_value")
'''
```

(continues on next page)



(continued from previous page)

```
tables = client.query_api().query(query)
for record in [record for table in tables for record in table.records]:
    print(record.values)
```

If you would like to omit boilerplate columns such as `_result`, `_table`, `_start`, ... you can filter the record values by following expression:

```
print({k: v for k, v in record.values.items() if k not in ['result', 'table', '_start',
→ '_stop', '_measurement']})
```

For more info see [Flux Response Format](#).

This repository contains the Python client library for the InfluxDB 2.0.

**Note:** Use this client library with InfluxDB 2.x and InfluxDB 1.8+. For connecting to InfluxDB 1.7 or earlier instances, use the [influxdb-python](#) client library. The API of the `influxdb-client-python` is not the backwards-compatible with the old one - `influxdb-python`.



## CHAPTER 4

---

### Documentation

---

This section contains links to the client library documentation.

- [Product documentation, \*Getting Started\*](#)
- [Examples](#)
- [API Reference](#)
- [Changelog](#)



---

## InfluxDB 2.0 client features

---

- **Querying data**
  - using the Flux language
  - into csv, raw data, `flux_table` structure, Pandas DataFrame
  - *How to queries*
- **Writing data using**
  - Line Protocol
  - Data Point
  - RxPY Observable
  - Pandas DataFrame
  - *How to writes*
- **InfluxDB 2.0 API client for management**
  - the client is generated from the `swagger` by using the `openapi-generator`
  - organizations & users management
  - buckets management
  - tasks management
  - authorizations
  - health check
  - ...
- **‘InfluxDB 1.8 API compatibility’\_**
- **Examples**
  - **‘Connect to InfluxDB Cloud’\_**
  - **‘How to efficiently import large dataset’\_**

- ‘Efficiency write data from IOT sensor’\_
  - ‘How to use Jupyter + Pandas + InfluxDB 2’\_
- ‘Advanced Usage’\_
  - ‘Gzip support’\_
  - ‘Proxy configuration’\_
  - ‘Nanosecond precision’\_
  - ‘Delete data’\_
  - ‘Handling Errors’\_

# CHAPTER 6

---

## Installation

---

InfluxDB python library uses [RxPY](#) - The Reactive Extensions for Python (RxPY).

**Python 3.6** or later is required.

---

**Note:** It is recommended to use `ciso8601` with `client` for parsing dates. `ciso8601` is much faster than built-in Python `datetime`. Since it's written as a C module the best way is build it from sources:

**Windows:**

You have to install [Visual C++ Build Tools 2015](#) to build `ciso8601` by `pip`.

**conda:**

Install from sources: `conda install -c conda-forge/label/cf202003 ciso8601`.

---

## 6.1 pip install

The python package is hosted on [PyPI](#), you can install latest version directly:

```
pip install 'influxdb-client[ciso]'
```

Then import the package:

```
import influxdb_client
```

## 6.2 Setuptools

Install via [Setuptools](#).

```
python setup.py install --user
```

(or `sudo python setup.py install` to install the package for all users)



# CHAPTER 7

---

## Getting Started

---

Please follow the *Installation* and then run the following:

```
from influxdb_client import InfluxDBClient, Point
from influxdb_client.client.write_api import SYNCHRONOUS

bucket = "my-bucket"

client = InfluxDBClient(url="http://localhost:8086", token="my-token", org="my-org")

write_api = client.write_api(write_options=SYNCHRONOUS)
query_api = client.query_api()

p = Point("my_measurement").tag("location", "Prague").field("temperature", 25.3)

write_api.write(bucket=bucket, record=p)

## using Table structure
tables = query_api.query('from(bucket:"my-bucket") |> range(start: -10m)')

for table in tables:
    print(table)
    for row in table.records:
        print(row.values)

## using csv library
csv_result = query_api.query_csv('from(bucket:"my-bucket") |> range(start: -10m)')
val_count = 0
for row in csv_result:
    for cell in row:
        val_count += 1
```



## 8.1 Via File

A client can be configured via \*.ini file in segment influx2.

The following options are supported:

- `url` - the url to connect to InfluxDB
- `org` - default destination organization for writes and queries
- `token` - the token to use for the authorization
- `timeout` - socket timeout in ms (default value is 10000)
- `verify_ssl` - set this to false to skip verifying SSL certificate when calling API from https server
- `ssl_ca_cert` - set this to customize the certificate file to verify the peer
- `connection_pool_maxsize` - set the number of connections to save that can be reused by urllib3
- `auth_basic` - enable http basic authentication when talking to a InfluxDB 1.8.x without authentication but is accessed via reverse proxy with basic authentication (defaults to false)
- `profilers` - set the list of enabled [Flux profilers](#)

```
self.client = InfluxDBClient.from_config_file("config.ini")
```

## 8.2 Via Environment Properties

A client can be configured via environment properties.

Supported properties are:

- `INFLUXDB_V2_URL` - the url to connect to InfluxDB
- `INFLUXDB_V2_ORG` - default destination organization for writes and queries

- INFLUXDB\_V2\_TOKEN - the token to use for the authorization
- INFLUXDB\_V2\_TIMEOUT - socket timeout in ms (default value is 10000)
- INFLUXDB\_V2\_VERIFY\_SSL - set this to false to skip verifying SSL certificate when calling API from https server
- INFLUXDB\_V2\_SSL\_CA\_CERT - set this to customize the certificate file to verify the peer
- INFLUXDB\_V2\_CONNECTION\_POOL\_MAXSIZE - set the number of connections to save that can be reused by urllib3
- INFLUXDB\_V2\_AUTH\_BASIC - enable http basic authentication when talking to a InfluxDB 1.8.x without authentication but is accessed via reverse proxy with basic authentication (defaults to false)
- INFLUXDB\_V2\_PROFILERS - set the list of enabled [Flux profilers](#)

```
self.client = InfluxDBClient.from_env_properties()
```

## 8.3 Profile query

The [Flux Profiler package](#) provides performance profiling tools for Flux queries and operations.

You can enable printing profiler information of the Flux query in client library by:

- set QueryOptions.profilers in QueryApi,
- set INFLUXDB\_V2\_PROFILERS environment variable,
- set profilers option in configuration file.

When the profiler is enabled, the result of flux query contains additional tables “profiler/\*”. In order to have consistent behaviour with enabled/disabled profiler, FluxCSVParser excludes “profiler/\*” measurements from result.

Example how to enable profilers using API:

```
q = '''
    from(bucket: stringParam)
      |> range(start: -5m, stop: now())
      |> filter(fn: (r) => r._measurement == "mem")
      |> filter(fn: (r) => r._field == "available" or r._field == "free" or r._field_
↪ == "used")
      |> aggregateWindow(every: 1m, fn: mean)
      |> pivot(rowKey:["_time"], columnKey: ["_field"], valueColumn: "_value")
'''
p = {
    "stringParam": "my-bucket",
}

query_api = client.query_api(query_options=QueryOptions(profilers=["query", "operator
↪ "]))
csv_result = query_api.query(query=q, params=p)
```

Example of a profiler output:

You can also use callback function to get profilers output. Return value of this callback is type of FluxRecord.

Example how to use profilers with callback:

```
class ProfilersCallback(object):
    def __init__(self):
        self.records = []

    def __call__(self, flux_record):
        self.records.append(flux_record.values)

callback = ProfilersCallback()

query_api = client.query_api(query_options=QueryOptions(profilers=["query", "operator
↪"], profiler_callback=callback))
tables = query_api.query('from(bucket:"my-bucket") |> range(start: -10m)')

for profiler in callback.records:
    print(f'Custom processing of profiler result: {profiler}')
```

Example output of this callback:



## CHAPTER 9

---

### Indices and tables

---

- `genindex`
- `modindex`
- `search`





## A

add\_label() (*influxdb\_client.TasksApi method*), 37  
 add\_member() (*influxdb\_client.TasksApi method*), 37  
 add\_owner() (*influxdb\_client.TasksApi method*), 37  
 authorization\_id (*influxdb\_client.domain.Task attribute*), 39  
 authorizations\_api() (*influxdb\_client.InfluxDBClient method*), 20

## B

Bucket (*class in influxdb\_client.domain*), 31  
 buckets\_api() (*influxdb\_client.InfluxDBClient method*), 20  
 BucketsApi (*class in influxdb\_client*), 30

## C

cancel\_run() (*influxdb\_client.TasksApi method*), 37  
 clone\_label() (*influxdb\_client.LabelsApi method*), 33  
 clone\_task() (*influxdb\_client.TasksApi method*), 37  
 close() (*influxdb\_client.InfluxDBClient method*), 20  
 close() (*influxdb\_client.WriteApi method*), 27  
 create\_bucket() (*influxdb\_client.BucketsApi method*), 30  
 create\_label() (*influxdb\_client.LabelsApi method*), 33  
 create\_organization() (*influxdb\_client.OrganizationsApi method*), 34  
 create\_task() (*influxdb\_client.TasksApi method*), 37  
 create\_task\_cron() (*influxdb\_client.TasksApi method*), 37  
 create\_task\_every() (*influxdb\_client.TasksApi method*), 37  
 create\_user() (*influxdb\_client.UsersApi method*), 36  
 created\_at (*influxdb\_client.domain.Bucket attribute*), 31

created\_at (*influxdb\_client.domain.Organization attribute*), 35  
 created\_at (*influxdb\_client.domain.Task attribute*), 39  
 cron (*influxdb\_client.domain.Task attribute*), 39

## D

DateHelper (*class in influxdb\_client.client.util.date\_utils*), 43  
 delete() (*influxdb\_client.DeleteApi method*), 42  
 delete\_api() (*influxdb\_client.InfluxDBClient method*), 20  
 delete\_bucket() (*influxdb\_client.BucketsApi method*), 30  
 delete\_label() (*influxdb\_client.LabelsApi method*), 33  
 delete\_label() (*influxdb\_client.TasksApi method*), 37  
 delete\_member() (*influxdb\_client.TasksApi method*), 37  
 delete\_organization() (*influxdb\_client.OrganizationsApi method*), 34  
 delete\_owner() (*influxdb\_client.TasksApi method*), 37  
 delete\_task() (*influxdb\_client.TasksApi method*), 37  
 delete\_user() (*influxdb\_client.UsersApi method*), 36  
 DeleteApi (*class in influxdb\_client*), 42  
 DeletePredicateRequest (*class in influxdb\_client.domain*), 42  
 description (*influxdb\_client.domain.Bucket attribute*), 31  
 description (*influxdb\_client.domain.Organization attribute*), 35  
 description (*influxdb\_client.domain.Task attribute*), 39

## E

`every` (*influxdb\_client.domain.Task* attribute), 40

## F

`field()` (*influxdb\_client.client.write.point.Point* method), 28

`find_bucket_by_id()` (*influxdb\_client.BucketsApi* method), 31

`find_bucket_by_name()` (*influxdb\_client.BucketsApi* method), 31

`find_buckets()` (*influxdb\_client.BucketsApi* method), 31

`find_label_by_id()` (*influxdb\_client.LabelsApi* method), 33

`find_label_by_org()` (*influxdb\_client.LabelsApi* method), 33

`find_labels()` (*influxdb\_client.LabelsApi* method), 33

`find_organization()` (*influxdb\_client.OrganizationsApi* method), 34

`find_organizations()` (*influxdb\_client.OrganizationsApi* method), 34

`find_task_by_id()` (*influxdb\_client.TasksApi* method), 38

`find_tasks()` (*influxdb\_client.TasksApi* method), 38

`find_tasks_by_user()` (*influxdb\_client.TasksApi* method), 38

`find_users()` (*influxdb\_client.UsersApi* method), 36

`flush()` (*influxdb\_client.WriteApi* method), 27

`flux` (*influxdb\_client.domain.Task* attribute), 40

`from_config_file()` (*influxdb\_client.InfluxDBClient* class method), 20

`from_dict()` (*influxdb\_client.client.write.point.Point* static method), 28

`from_env_properties()` (*influxdb\_client.InfluxDBClient* class method), 21

## G

`get_labels()` (*influxdb\_client.TasksApi* method), 38

`get_logs()` (*influxdb\_client.TasksApi* method), 38

`get_members()` (*influxdb\_client.TasksApi* method), 38

`get_owners()` (*influxdb\_client.TasksApi* method), 38

`get_run()` (*influxdb\_client.TasksApi* method), 38

`get_run_logs()` (*influxdb\_client.TasksApi* method), 38

`get_runs()` (*influxdb\_client.TasksApi* method), 38

## H

`health()` (*influxdb\_client.InfluxDBClient* method), 22

## I

`id` (*influxdb\_client.domain.Bucket* attribute), 32

`id` (*influxdb\_client.domain.Organization* attribute), 35

`id` (*influxdb\_client.domain.Task* attribute), 40

`id` (*influxdb\_client.domain.User* attribute), 36

`InfluxDBClient` (class in *influxdb\_client*), 19

## L

`labels` (*influxdb\_client.domain.Bucket* attribute), 32

`labels` (*influxdb\_client.domain.Task* attribute), 40

`labels_api()` (*influxdb\_client.InfluxDBClient* method), 22

`LabelsApi` (class in *influxdb\_client*), 33

`last_run_error` (*influxdb\_client.domain.Task* attribute), 40

`last_run_status` (*influxdb\_client.domain.Task* attribute), 40

`latest_completed` (*influxdb\_client.domain.Task* attribute), 40

`links` (*influxdb\_client.domain.Bucket* attribute), 32

`links` (*influxdb\_client.domain.Organization* attribute), 35

`links` (*influxdb\_client.domain.Task* attribute), 40

## M

`me()` (*influxdb\_client.OrganizationsApi* method), 34

`me()` (*influxdb\_client.UsersApi* method), 36

`measurement()` (*influxdb\_client.client.write.point.Point* static method), 29

`MultiprocessingWriter` (class in *influxdb\_client.client.util.multiprocessing\_helper*), 43

## N

`name` (*influxdb\_client.domain.Bucket* attribute), 32

`name` (*influxdb\_client.domain.Organization* attribute), 35

`name` (*influxdb\_client.domain.Task* attribute), 41

`name` (*influxdb\_client.domain.User* attribute), 36

`NS` (*influxdb\_client.domain.write\_precision.WritePrecision* attribute), 30

## O

`oauth_id` (*influxdb\_client.domain.User* attribute), 36

`offset` (*influxdb\_client.domain.Task* attribute), 41

`org` (*influxdb\_client.domain.Task* attribute), 41

`org_id` (*influxdb\_client.domain.Bucket* attribute), 32

`org_id` (*influxdb\_client.domain.Task* attribute), 41

`Organization` (class in *influxdb\_client.domain*), 34

`organizations_api()` (*influxdb\_client.InfluxDBClient* method), 22

`OrganizationsApi` (class in *influxdb\_client*), 34

## P

[parse\\_date\(\)](#) ([influxdb\\_client.client.util.date\\_utils.DateHelper](#) method), 43  
[ping\(\)](#) ([influxdb\\_client.InfluxDBClient](#) method), 22  
[Point](#) ([class in influxdb\\_client.client.write.point](#)), 28  
[predicate](#) ([influxdb\\_client.domain.DeletePredicateRequest](#) attribute), 42

## Q

[query\(\)](#) ([influxdb\\_client.QueryApi](#) method), 24  
[query\\_api\(\)](#) ([influxdb\\_client.InfluxDBClient](#) method), 22  
[query\\_csv\(\)](#) ([influxdb\\_client.QueryApi](#) method), 24  
[query\\_data\\_frame\(\)](#) ([influxdb\\_client.QueryApi](#) method), 25  
[query\\_data\\_frame\\_stream\(\)](#) ([influxdb\\_client.QueryApi](#) method), 25  
[query\\_raw\(\)](#) ([influxdb\\_client.QueryApi](#) method), 25  
[query\\_stream\(\)](#) ([influxdb\\_client.QueryApi](#) method), 25  
[QueryApi](#) ([class in influxdb\\_client](#)), 24

## R

[ready\(\)](#) ([influxdb\\_client.InfluxDBClient](#) method), 22  
[retention\\_rules](#) ([influxdb\\_client.domain.Bucket](#) attribute), 32  
[retry\\_run\(\)](#) ([influxdb\\_client.TasksApi](#) method), 38  
[rp](#) ([influxdb\\_client.domain.Bucket](#) attribute), 32  
[run\(\)](#) ([influxdb\\_client.client.util.multiprocessing\\_helper.MultiprocessingWriter](#) method), 44  
[run\\_manually\(\)](#) ([influxdb\\_client.TasksApi](#) method), 39

## S

[schema\\_type](#) ([influxdb\\_client.domain.Bucket](#) attribute), 32  
[start](#) ([influxdb\\_client.domain.DeletePredicateRequest](#) attribute), 42  
[start\(\)](#) ([influxdb\\_client.client.util.multiprocessing\\_helper.MultiprocessingWriter](#) method), 45  
[status](#) ([influxdb\\_client.domain.Organization](#) attribute), 35  
[status](#) ([influxdb\\_client.domain.Task](#) attribute), 41  
[status](#) ([influxdb\\_client.domain.User](#) attribute), 36  
[stop](#) ([influxdb\\_client.domain.DeletePredicateRequest](#) attribute), 42

## T

[tag\(\)](#) ([influxdb\\_client.client.write.point.Point](#) method), 29  
[Task](#) ([class in influxdb\\_client.domain](#)), 39  
[tasks\\_api\(\)](#) ([influxdb\\_client.InfluxDBClient](#) method), 22

[TasksApi](#) ([class in influxdb\\_client](#)), 37  
[terminate\(\)](#) ([influxdb\\_client.client.util.multiprocessing\\_helper.MultiprocessingWriter](#) method), 45  
[time\(\)](#) ([influxdb\\_client.client.write.point.Point](#) method), 29  
[to\\_dict\(\)](#) ([influxdb\\_client.domain.Bucket](#) method), 32  
[to\\_dict\(\)](#) ([influxdb\\_client.domain.DeletePredicateRequest](#) method), 42  
[to\\_dict\(\)](#) ([influxdb\\_client.domain.Organization](#) method), 35  
[to\\_dict\(\)](#) ([influxdb\\_client.domain.Task](#) method), 41  
[to\\_dict\(\)](#) ([influxdb\\_client.domain.User](#) method), 37  
[to\\_dict\(\)](#) ([influxdb\\_client.domain.write\\_precision.WritePrecision](#) method), 30  
[to\\_line\\_protocol\(\)](#) ([influxdb\\_client.client.write.point.Point](#) method), 30  
[to\\_nanoseconds\(\)](#) ([influxdb\\_client.client.util.date\\_utils.DateHelper](#) method), 43  
[to\\_str\(\)](#) ([influxdb\\_client.domain.Bucket](#) method), 32  
[to\\_str\(\)](#) ([influxdb\\_client.domain.DeletePredicateRequest](#) method), 42  
[to\\_str\(\)](#) ([influxdb\\_client.domain.Organization](#) method), 35  
[to\\_str\(\)](#) ([influxdb\\_client.domain.Task](#) method), 41  
[to\\_str\(\)](#) ([influxdb\\_client.domain.User](#) method), 37  
[to\\_str\(\)](#) ([influxdb\\_client.domain.write\\_precision.WritePrecision](#) method), 30  
[to\\_utc\(\)](#) ([influxdb\\_client.client.util.date\\_utils.DateHelper](#) method), 43  
[type](#) ([influxdb\\_client.domain.Bucket](#) attribute), 32  
[type](#) ([influxdb\\_client.domain.Task](#) attribute), 41

## U

[update\\_bucket\(\)](#) ([influxdb\\_client.BucketsApi](#) method), 31  
[update\\_label\(\)](#) ([influxdb\\_client.LabelsApi](#) method), 34  
[update\\_organization\(\)](#) ([influxdb\\_client.OrganizationsApi](#) method), 34  
[update\\_task\(\)](#) ([influxdb\\_client.TasksApi](#) method), 39  
[update\\_task\\_request\(\)](#) ([influxdb\\_client.TasksApi](#) method), 39  
[update\\_user\(\)](#) ([influxdb\\_client.UsersApi](#) method), 36  
[updated\\_at](#) ([influxdb\\_client.domain.Bucket](#) attribute), 33  
[updated\\_at](#) ([influxdb\\_client.domain.Organization](#) attribute), 35

`updated_at` (*influxdb\_client.domain.Task* attribute),  
41  
`User` (*class in influxdb\_client.domain*), 36  
`users_api()` (*influxdb\_client.InfluxDBClient*  
method), 22  
`UsersApi` (*class in influxdb\_client*), 35

## V

`version()` (*influxdb\_client.InfluxDBClient* method),  
22

## W

`write()` (*influxdb\_client.client.util.multiprocessing\_helper.MultiprocessingWriter*  
method), 45  
`write()` (*influxdb\_client.WriteApi* method), 27  
`write_api()` (*influxdb\_client.InfluxDBClient*  
method), 22  
`write_precision` (*influxdb\_client.client.write.point.Point* attribute),  
30  
`WriteApi` (*class in influxdb\_client*), 26  
`WritePrecision` (*class in influxdb\_client.domain.write\_precision*), 30